

PROTECTION

BOMB BLANKET

Protection blanket against
fragments of exploding bombs



BOMB BLANKET

Protection blanket against fragments of exploding bombs

The Bomb Blanket is designed to protect property and personnel from the blast and fragmentation occurring when Improvised Exploding Devices (IEDs) explode. Working in conjunction with the safety circle the blankets are especially useful for suspect items such as backpacks or briefcases. The diameter of the closed safety circle is variable from approx. 40 cm to 55 cm (15.8 in to 21.7 in). The protection class equals the protection level of the bomb blanket.

Bomb blankets are an ideal first tool to fend threats in busy public places such as airports and train stations.

- ✓ Multiple layer ballistic material
- ✓ Heavy duty water-resistant nylon cover
- ✓ Lifting straps for easy handling
- ✓ Safety circle to lead the blast upwards into the blanket
- ✓ Comfortable carry bag



DATA SHEET

Bomb Blanket

TECHNICAL DATA

Article number	400 m/s, dim 150 cm x 150 cm (1312 ft/s, dim 59.1 in x 59.1 in) – 1050006-08 400 m/s, dim 200 cm x 150 cm (1312 ft/s, dim 78.7 in x 59.1 in) – 1050006-10 400 m/s, dim 200 cm x 200 cm (1312 ft/s, dim 78.7 in x 78.7 in) – 1050006-12 500 m/s, dim 150 cm x 150 cm (1640 ft/s, dim 59.1 in x 59.1 in) – 1050006-09 500 m/s, dim 200 cm x 150 cm (1640 ft/s, dim 78.7 in x 59.1 in) – 1050006-11 500 m/s, dim 200 cm x 200 cm (1640 ft/s, dim 78.7 in x 78.7 in) – 1050006-13 650 m/s, dim 150 cm x 150 cm (2133 ft/s, dim 59.1 in x 59.1 in) – 1050006-26 650 m/s, dim 200 cm x 150 cm (2133 ft/s, dim 78.7 in x 59.1 in) – 1050006-28 650 m/s, dim 200 cm x 200 cm (2133 ft/s, dim 78.7 in x 78.7 in) – 1050006-30
Sizes and weight	400 m/s, dim 150 cm x 150 cm (1312 ft/s, dim 59.1 in x 59.1 in) – approx. 12.20 kg (26.90 lbs) 400 m/s, dim 200 cm x 150 cm (1312 ft/s, dim 78.7 in x 59.1 in) – approx. 14.50 kg (31.97 lbs) 400 m/s, dim 200 cm x 200 cm (1312 ft/s, dim 78.7 in x 78.7 in) – approx. 18.50 kg (40.79 lbs) 500 m/s, dim 150 cm x 150 cm (1640 ft/s, dim 59.1 in x 59.1 in) – approx. 15.40 kg (33.95 lbs) 500 m/s, dim 200 cm x 150 cm (1640 ft/s, dim 78.7 in x 59.1 in) – approx. 17.50 kg (38.58 lbs) 500 m/s, dim 200 cm x 200 cm (1640 ft/s, dim 78.7 in x 78.7 in) – approx. 21.50 kg (47.40 lbs) 650 m/s, dim 150 cm x 150 cm (2133 ft/s, dim 59.1 in x 59.1 in) – approx. 23.50 kg (51.81 lbs) 650 m/s, dim 200 cm x 150 cm (2133 ft/s, dim 78.7 in x 59.1 in) – approx. 28.70 kg (63.27 lbs) 650 m/s, dim 200 cm x 200 cm (2133 ft/s, dim 78.7 in x 78.7 in) – approx. 25.60 kg (56.44 lbs)
Protection level	v50 = 400 m/s (1312 ft/s), 500 m/s (1640 ft/s) or 650 m/s (2133 ft/s)

DATA SHEET

Bomb Blanket

TECHNICAL DATA

Safety circle open	200 x 40 cm (78.7 x 15.7 in)
Safety circle closed	Ø 40 – 55 cm (15.8 in to 21.7 in)
Color	Black
Warranty	12 months against labor faults
Life time of ballistics	5 years

